Illinois Wesleyan University

From the SelectedWorks of Ram S. Mohan

2010

Bismuth(III) bromide in organic synthesis. A catalytic method for the allylation of tetrahydrofuranyl and tetrahydropyranyl ethers

Ram S. Mohan, *Illinois Wesleyan University* Scott W. Krabbe Veronica V. Angeles



Available at: https://works.bepress.com/ram_mohan/30/

Tetrahedron Letters, 27 October 2010, Volume 51(43), pp. 5643–5645 Elsevier, http://dx.doi.org/10.1016/j.tetlet.2010.08.079

Bismuth (III) Bromide in Organic Synthesis. A Catalytic Method for the Allylation of Tetrahydrofuranyl and Tetrahydropyranyl Ethers.

Scott W. Krabbe, Veronica V. Angeles, and Ram S. Mohan

Abstract

A bismuth bromide-catalyzed (10.0 mol %) multicomponent reaction involving the allylation of THF- and THP-ethers, followed by in situ derivatization with acetic anhydride to generate highly functionalized esters has been developed under solvent-free conditions. To the best of our knowledge, this is the first report of a catalytic procedure for the allylation of THF- and THP-ethers to yield ring-opened products.

Keywords: Allylation, THP ethers, Bismuth bromide, Acetates

Graphical Abstract



Tetrahydropyranyl (THP)-ethers are useful protecting groups for alcohols and phenols but they can also be converted to other useful functional groups.¹ For example, the direct conversion of THP-ethers to acetates has been reported.^{1b} Despite numerous literature examples of allylations of acetals to yield homoallyl ethers,² very little attention has been given to the potentially useful allylation of THP ethers (Scheme 1).

Scheme 1



Despite the obvious synthetic utility of such a transformation, to the best of our knowledge, there are only two reports of the allylation of THP-ethers. Maeda et al.³ have reported the Lewis acid-

induced allylation of α -iodo mixed acetals with allylsilanes. They found that the allylation of *trans*-2-(*tert*-butyldimethylsilyloxy)-3-iodo-1-oxacyclopentane **1** promoted by TiCl₄ (1.0 equiv) in CH₂Cl₂ afforded a 58% yield of the open chain product, anti-4-(*tert*-butyldimethylsilyloxy)-3-iodo-6-hepten-1-ol **2** (the ratio of anti/syn product was >99/1) (Scheme 2). When the reaction was carried out in the presence of TMSOTf (20.0 mol %) instead of TiCl₄ (1.0 equiv), the siloxy group was replaced with the allyl group to yield allylated-tetrahydropyran **3** in 90% yield (*transl cis* ratio was >99/1).

Scheme 2



reported the TMSOTf (1.2 equiv)-promoted allylation of 2-Hunter et al. have methoxytetrahydropyran, using lithium *n*-butyltriallylborate as the allyl source.⁴ They reported a 40% yield of the open chain product and 24% yield of 2-allyltetrahydro-2*H*-pyran. As can be seen from these two examples, both these methods require the use of highly corrosive catalysts such as TMSOTf or TiCl₄, and are carried out at low temperatures in CH₂Cl₂, an environmentally unfriendly solvent. In addition, allyl sources, such as lithium n-butyltriallylborate are not commercially available and must be synthesized when needed. Although not examples of THP ether allylation, a few other bismuth-catalyzed reactions that are relevant and deserve mention include a novel stereoselective construction of cyclic ethers using a tandem two-component etherification developed by Evans et al.⁵ They utilized a BiBr₃-catalyzed allylation of a ketone in CH₃CN followed by cyclization to generate substituted tetrahydropyrans. They also carried out elegant mechanistic studies that suggest that the active catalysts are HBr and bismuth oxybromide, BiOBr. Daich and co-workers have reported a bismuth triflate-catalyzed intermolecular α -amidoalkylation of a variety of α -acetoxylactams with silanes and enoxysilanes.⁶ Floreancig and co-workers report a very efficient BiBr₃ mediated allylation of a lactol to yield a tetrahydropyranyl alcohol.⁷ This reaction was a key step in their studies directed toward the construction of Leucascandrolide A, an antifungal macrolide. In studies devoted to the synthesis of galactofuranoside mimics, Martin and co-workers report a highly efficient bismuth triflate mediated allylation of a glucofuranosylamine.⁸ In contrast to Bi(OTf)₃, Sc(OTf)₃ did not catalyze the reaction.

A lack of catalytic methods for the allylation of THP-ethers coupled with our continued interest in bismuth compounds prompted us to develop a bismuth(III) salt-based methodology for the allylation of THF- and THP-ethers. Bismuth compounds have attracted considerable attention in the last decade due to their remarkably low toxicity, low cost, and ease of handling.⁹ Herein, we report that bismuth(III) bromide is a suitable catalyst for the allylation of THF- and THP-ethers followed by in situ derivatization of the putative alkoxide intermediate with acetic anhydride (Scheme 3) to yield highly functionalized acetates in moderate yields (Table 1).

Scheme 3



Table 1. BiBr3 catalyzed allylation of THF- and THP-ethers followed by in situ derivatization withAc2O12



a Reaction progress was followed by GC or TLC.

b Refers to yield of isolated, purified ester; reported yield is calculated assuming that the ester is the only product. In all cases the reaction mixture contained a significant amount (20–50%, by GC) of 2-allyltetrahydro-2H-furan or 2-allyltetrahydro-2H-pyran and much smaller amounts (ca. 10%) of the corresponding acetate (9a–k). Pure samples of the 2-allyltetrahydro-2H-furan or 2-allyltetrahydro-2H-pyran could not be isolated due to the fact that they had Rf values very similar to the corresponding acetates.

c 2-Allyltetrahydro-2H-pyran was isolated in 24% yield (96% pure by GC).

d 2-Allyltetrahydro-2H-pyran was isolated in 28% yield (99% pure by GC, 1H and 13C NMR analysis).

e 3-Phenylpropyl acetate (96% pure by GC and 1H NMR) was isolated in 31% yield.

f 2-Methallyltetrahydro-2H-pyran was isolated in 55% yield (99% pure by GC, 1H and 13C NMR analysis).

We recently reported a similar strategy for the allylation of dioxolanes catalyzed by bismuth triflate as a catalyst.¹⁰ Encouraged by the success of this approach, we first attempted the allylation of THP-ethers using bismuth triflate as a catalyst. However, the results were not very promising and a significant amount of the corresponding acetate was obtained.^{1b} Gratifyingly, bismuth(III) bromide, which is less expensive than bismuth(III) triflate, proved more efficient for the allylations.¹¹ These results are summarized in Table 1.

As can be seen from Table 1, the allylation of all THF- and THP-ethers gave nearly equal amounts of the open chain product and 2-allyltetrahydro-2*H*-furan or 2-allyltetrahydro-2*H*-pyran. Thus, in the case of THP-ethers, the open chain product could be typically isolated in ca. 50% yield after chromatographic purification (entries a–g). Less satisfactory yields of the desired open chain product were obtained when methallylsilane (entries h and i) was used as the allyl group source, or when the allylation was attempted on THF-ethers (entries j and k). Although, it was possible to isolate a pure sample of 2-allyltetrahydro-2*H*-pyran (entries a and e), in most cases, due to the small amount of silica used and close $R_{\rm f}$ values, the 2-allyltetrahydro-2*H*-pyran was isolated as a mixture with small amounts of the corresponding acetate. In the case of THP-ether derived from 3-phenylpropanol (entry g), the corresponding acetate was isolated in 31% yield. All reactions were carried out under solvent-free conditions and the product was isolated by direct filtration of the reaction mixture through a silica gel column, thus avoiding an aqueous waste stream. No reaction was observed in the absence of BiBr₃ or acetic anhydride. It was also shown that the acetate could be easily hydrolyzed to the corresponding alcohol in an

excellent yield (Scheme 4), thus providing an easy access to a variety of highly functionalized alcohols.



In summary, this methodology allows the synthesis of highly functionalized acetates in a single step from the readily available THF- and THP-ethers. The use of an environmentally friendly catalyst, BiBr₃, and the solvent free procedure add to the synthetic utility of this procedure.

Representative procedure: A homogeneous mixture of 2-(heptyloxy)tetrahydro-2*H*-pyran¹² (entry c) (0.300 g, 1.498 mmol), allyltrimethylsilane (0.291 g, 0.40 mL, 2.547 mmol, 1.7 equiv), and acetic anhydride (0.260 g, 0.24 mL, 2.547 mmol, 1.7 equiv) was stirred at rt under N₂ as bismuth(III) bromide (67.2 mg, 0.150 mmol, 10 mol %) was added. The bismuth(III) bromide dissolved and the reaction mixture turned slightly yellow in color. After 2 h 35 min the reaction mixture was filtered through silica gel (25 g, EtOAc/heptane). A 240-mL prefraction was collected (EtOAc/heptane, 1:99) followed by elution with EtOAc/heptane (5:95). Seventy fractions (8 mL) were collected. Fractions 17-21 were combined to yield 80.3 mg of a clear liquid that was determined to be 2-allyltetrahydro-2*H*-pyran by ¹H NMR spectroscopy. Fractions 45–64 were combined to yield 0.263 g (62%) of a clear liquid that was determined to be >99% pure 5c by GC analysis, ¹H and ¹³C NMR spectroscopy. ¹H NMR δ 0.86 (t, 3H, J = 6.5 Hz), 1.22–1.36 (m, 8H), 1.40–1.66 (m, 8H), 2.02 (s, 3H), 2.14–2.32 (m, 2H), 3.20–3.29 (quintet, 1H), 3.29-3.51 (m, 2H), 4.01-4.06 (t, 2H, J=6.5 Hz), 5.00-5.08 (m, 2H), 5.71-5.86 (m, 1H); ¹³C NMR (17 peaks) δ 14.1, 21.0, 21.9, 22.6, 26.2, 28.6, 29.1, 30.1, 31.8, 33.5, 38.4, 64.5, 69.2, 78.7, 116.7, 135.0, 171.2. IR vmax 2928, 1741, 1641 cm-1. HRMS-CI (m/z): M⁺ calculated for C₁₇H₃₃O₃, 285.2430; found: 285.2431.

Acknowledgment

We are grateful to the National Science Foundation for an RUI (Research in Undergraduate Institutions) grant (#0650682) awarded to R.S.M.

References and notes

(a) Greene, T. W.; Wuts, P. G. M. Protective Groups in Organic Synthesis, 3rd ed.;
Wiley: New York, 1999; The direct conversion of THP ethers to acetates
catalyzed by bismuth(III) salts has been previously reported. (i) (b)
Mohammadpoor-Baltork, I.; Khosropour, A. R. Synth. Commun. 2002, 32,

2433; (ii) Mohammadpoor-Baltork, I.; Khosropour, A. R. Monatsh. Chem. 2002, 133, 189.

2. (a) Hosomi, A.; Endo, M.; Sakurai, H. Chem. Lett. 1976, 941; (b) Hosomi, A.; Endo, M.; Sakurai, H. Chem. Lett. 1978, 499; (c) Ojima, I.; Kumagai, M. Chem. Lett. 1978, 575; (d) Mukaiyama, T.; Nagaoka, H.; Murakami, M.; Ohshima, M. Chem. Lett. 1985, 977; (e) Kawai, M.; Onaka, M.; Izumi, Y. Chem. Lett. 1986, 381; (f) Trehan, A.; Vij, A.; Walia, M.; Kaur, G.; Verma, R. D.; Trehan, S. Tetrahedron Lett. 1993, 34, 7335; (g) Sakurai, H.; Sasaki, K.; Hosomi, A. Tetrahedron Lett. 1981, 22, 745; (h) Tsunoda, T.; Suzuki, M.; Noyori, R. Tetrahedron Lett. 1980, 21, 71; (i) Hollis, T. K.; Robinson, N. P.; Whelan, J.; Bosnich, B. Tetrahedron Lett. 1993, 34, 4309; (j) Kamata, M.; Yokoyama, Y.; Karasawa, N.; Kato, M.; Hasegawa, E. Tetrahedron Lett. 1996, 37, 3483; (k) Kamata, M.; Nagai, S.; Kato, M.; Hasegawa, E. Tetrahedron Lett. 1996, 37, 7779; (I) Ishii, A.; Kotera, O.; Saeki, T.; Mikami, K. Synlett 1997, 1145; (m) Komatsu, N.; Uda, M.; Suzuki, H.; Takahashi, T.; Domae, T.; Wada, M. Tetrahedron Lett. 1997, 38, 7215; (n) Yadav, J. S.; Subba Reddy, B. V.; Srihari, P. Synlett 2001, 673; (o) Anzalone, P. W.; Baru, A. R.; Danielson, E. M.; Hayes, P. D.; Nguyen, M. P.; Panico, A. F.; Smith, R. C.; Mohan, R. S. J. Org. Chem. 2005, 70, 2091; (p) Wieland, L. C.; Zerth, H. M.; Mohan, R. S. Tetrahedron Lett. 2002, 43, 4597. 3. Maeda, K.; Shinokubo, H.; Oshima, K. J. Org. Chem. 1997, 62, 6429. 4. Hunter, R.; Michael, J. P.; Tomlinson, G. D. Tetrahedron 1994, 50, 871. 5. Evans, P. A.; Cui, J.; Gharpure, S. J.; Hinkle, R. J. J. Am. Chem. Soc. 2003, 125, 11456. 6. Pin, F.; Comesse, S.; Garrigues, B.; Marchalin, S.; Daich, A. J. Org. Chem. 2007, 72, 1181. 7. Jung, H. H.; Seiders, J. R., II; Floreancig, P. E. Angew. Chem., Int. Ed. 2007, 46, 8464.

8. Liautard, V.; Desvergnes, V.; Itoh, K.; Liu, H.-W.; Martin, O. R. J. Org. Chem. 2008, 73, 3103.

9. (a) Leonard, N. M.; Wieland, L. C.; Mohan, R. S. Tetrahedron 2002, 58, 8373; (b) Gaspard-Iloughmane, H.; Le Roux, C. Eur. J. Org. Chem. 2004, 2517; (c) Reglinski,

J.. In Norman, N. C., Ed.; Chemistry of Arsenic, Antimony and Bismuth; Blackie

Academic: New York, 1998; pp 403-440; (d) Marshall, J. A. Chemtracts 1997,

1064; (e) Suzuki, H.; Ikegami, T.; Matano, Y. Synthesis 1997, 249; (f) Suzuki, H.;

Matano, Y. Organobismuth Chemistry; Elsevier: Amsterdam, 2001; (g) Mohan, R. S. Nat. Chem. 2010, 2, 336.

10. Spafford, M. J.; Christensen, J. E.; Huddle, M. G.; Lacey, J. R.; Mohan, R. S. Aust. J. Chem. 2008, 61, 419.

11. Bismuth bromide has been used as a catalyst for the allylation of benzaldehyde and octanal. See: Komatsu, N.; Uda, M.; Suzuki, H.; Takahashi, T.; Domae, T.; Wada, M. Tetrahedron Lett. 1997, 38, 7215.

12. The starting materials were synthesized following a literature procedure.

Stephens, J. R.; Butler, P. L.; Clow, C. H.; Oswald, M. C.; Smith, R. C.; Mohan, R. S.

Eur. J. Org. Chem. 2003, 19, 3827.